2 9 APR 1958

Director	of	Communications
----------	----	----------------

			dit	
M	rector	OI	ITali	THE

Proposed	OTR	Use	25X1A6D
į.			•

1. The Office of Training has a critical need for a Sound Stage on which to shoot Agency Training Films. At the present production rate, four to five films are produced annually which require approximately three months Sound Stage work. A survey was recently made of the

to determine it's availability and adaptability to such

25X1

use .

25X1

2. It appears that present use of the is limited to:

building

25X1

- a. One continuous week of activities annually during Operation Alert.
- b. Storage of a small quantity of Commo equipment in the basement and in several of the offices adjacent to the main floor. This equipment requires routing inspection.
- c. Storage of kitchen supplies in an upstairs room from which daily withdrawals are made.
- d. Main guard center located in one room adjacent to the main floor but separated from it by two doors.
- e. Occasional social events such as farewell parties, bingo, seasonal celebrations, etc.

Projected use of the building for film production could be scheduled so as not to interfere with these activities.

3. Preliminary tests indicate that area could be used as a Sound Stage provided the following alterations are made:

25X1

a. Insulate the entire ceiling area and ends with fiber glass insulating material.



- c. Install removable panels on the windows located in the balcony area.
- d. Enclose the stage opening with removable partitions.

25X1

ORCUME	EE:	
	SIENED MATTHEW BAIRD	
		X1A6
_	in order that	25)
	(2) Advise of shooting schedules as far in advance as possible, can be	25X1A6
	(1) Arrange transportation of personnel and equipment to and from the site.	
	a. Office of Training personnel will:	
5. Llowing	The use of this facility by OTR would be based on thunderstanding:	ne
and d.		
	s advised us that to the extent would assist OTR personnel in accomplishing items	25
tract c	harged to Off allotments for FY 1958.	<u> </u>